

# Relationship between Pathological Personality Traits and Defense Mechanisms in the Community Sample of Russian-Speaking Adult Inhabitants of Latvia.

Igors Ivzāns\*, Sandra Mihailova,

Department of Sociology and Psychology, Rīga Stradiņš University, Riga, Latvia.

**Corresponding Author** : Igors Ivzāns, Department of Sociology and Psychology, Rīga Stradiņš University, Riga, Latvia.

**E-mail**: [igors.ivzans@gmail.com](mailto:igors.ivzans@gmail.com)

**Received date**: September 12, 2019; **Accepted date** : September 25, 2019; **Published date**: October 02, 2019.

**Citation**: Igors Ivzāns, Relationship between Pathological Personality Traits and Defense Mechanisms in the Community Sample of Russian-Speaking Adult Inhabitants of Latvia. *J Vascular Neurology and Stroke*. 2(1), DOI: [10.31579/ VNS.2019/004](https://doi.org/10.31579/VNS.2019/004)

**Copyright** : © 2019 Igors Ivzāns. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Personality disorders is contiguous area between psychiatry and psychology. Psychiatrists officially recognised concepts of enduring personality disturbances in the first DSM (Diagnostic and Statistical Manual of Mental Disorders) in the 1950s. (Vahia, 2013)

Since that time, psychologists and psychiatrists had major changes in their understanding of personality disorders. One of the biggest issues was to distinguish one personality disorder from another. Often different personality disorders contain same personality traits, what makes more difficult to define and study this phenomenon. (Bornstein, 2011)

In the course of the last decades there is an on-going discussion between the psychologists regarding the definition of normal and abnormal personality. They are trying to establish, whether pathological traits are the specific formation, which is part of the personality? Or are they common for all individuals, but become highly manifested in some individuals under certain conditions?

Lately there was an increasing consensus that normal and abnormal personality variation can be treated within a single, unified structural framework (Eysenck, 1994; O'Connor, 2002; Widiger & Costa, 1994). A variety of studies have indicated, for example, that personality structure is essentially the same in clinical and nonclinical samples (O'Connor, 2002), that normal and abnormal personality are strongly related at the etiologic level (Jang & Livesley, 1999; Markon, Krueger, Bouchard, & Gottesman, 2002, quoted from Markon & Krueger, 2005), and that abnormal personality can be modeled as extremes of normal personality variation (O'Connor & Dyce, 2001).

Despite consensus about the possibility of describing normal and abnormal personality within a single structural framework, however, there is less consensus about what this structural framework might be. Although there is emerging consensus about the superordinate structure of normal personality (Goldberg, 1993), less consensus exists about a similar structure of abnormal personality (Livesley, 2001).

Samuel and Widiger (2004), who tried to figure out what kind of traits characterizing each personality disorder brought substantial contribution in resolution of this question.

In order to investigate the correlation between personality disorder models and trait models, Samuel, Widiger, Lynam and Ball (2012)

created the group of experts and psychologists who were studying personality disorders. In their research, they tried to describe each personality disorder through a number of personality traits.

The first aspect of the proposal made by the DSM-5 compilers is the inclusion of a dimensional trait model that attempts to organize the universe of personality pathology into component parts, consistent with the approaches of Clark (1993), Livesley (2003), and Widiger (2005). The transition to a dimensional trait model has the potential to address several limitations of the previous diagnostic system. For example, a dimensional trait system might eliminate the problematic comorbidity across and the heterogeneity within the DSM-IV categories by providing a trait profile that is unique to each individual (Widiger & Trull, 2007, quoted from Samuel & Widiger, 2008). Additionally, such a model holds the promise of improving diagnostic stability as traits have demonstrated greater temporal consistency than diagnostic categories (Morey et al., 2007, quoted from Samuel & Widiger, 2008).

Beside that, in the last decades, there has been a growing interest in the study of defense mechanisms in psychotherapy and psychopathology (Cramer, 1998a, quoted from Kramer, Roten, Perry & Despland, 2013).

Presniak, Olson, and MacGregor (2010), Perry, Presniak, Olson (2013) made researches which aimed to define the relationship between personality disorders and defense mechanisms. But what is substantially new in this research, is that instead of personality disorders used pathological traits.

Research objective was to define what kind of relationship exist between pathological traits and defense mechanisms. Results showed that between pathological traits and defense mechanisms exist many correlations. Correlations also exist on factor level, in Multidimensional Clinical Personality Inventory all traits united in factors, so there is substantial correlation on factor level too.

Most of correlations on factor level were with neurotic defenses according to Vaillant (1992) classification, in particular with repression and displacement. All together 26 traits correlated with neurotic defenses. With other defenses just a few traits correlated, three traits with mature defenses, two traits with immature defenses and two with psychotic defenses.

This research provides substantial information about the nature of personality disorders and can help to develop flexible approach and help psychologists to assess personality disorders more accurately.

## References

- Bornstein, R. F. (2011). *Toward a multidimensional model of personality disorder diagnosis: Implications for DSM-5*. *Journal of Personality Assessment*, 93(4), 362-369.
- Cramer, P. (1998a). *Defensiveness and defense mechanisms*. *Journal of Personality*, 66, 879-894. doi:10.1111/1467-6494.00035
- Eysenck, H. J. (1994). *Normality-abnormality and the three-factor model of personality. Differentiating normal and abnormal personality* (pp. 3-25). New York: Springer.
- Goldberg, L. R. (1993). *The structure of phenotypic personality traits*. *American Psychologist*, 48, 26-34.
- Jang, K. L., & Livesley, W. J. (1999). *Why do measures of normal and disordered personality correlate? A study of genetic comorbidity*. *Journal of Personality Disorders*, 13, 10-17.
- Kramer, U., Roten, Y., Perry, J. C. & Despland J. N. (2013). *Beyond splitting: Observer-rated defense mechanisms in borderline personality disorder*. *Psychoanalytic Psychology*. Vol. 30, No. 1, 3-15
- Krueger, R. F. & Markon, K. E. (2005). *Delineating the Structure of Normal and Abnormal Personality: An Integrative Hierarchical Approach* University of Minnesota. *Journal of Personality and Social Psychology*. Vol. 88, No. 1, 139-157.
- Livesley, W. J. (2001). *Commentary on reconceptualizing personality disorder categories using trait dimensions*. *Journal of Personality*, 69, 277-286.
- Markon, K. E., Krueger, R. F., Bouchard, T. J., & Gottesman, I. I. (2002). *Normal and abnormal personality traits: Evidence for genetic and environmental relationships in the Minnesota Study of Twins Reared Apart*. *Journal of Personality*, 70, 661-693.
- O'Connor, B. P., & Dyce, J. A. (2001). *Rigid and extreme: A geometric representation of personality disorders in five-factor model space*. *Journal of Personality and Social Psychology*, 81, 1119-1130.
- O'Connor, B. P. (2002). *The search for dimensional structure differences between normality and abnormality: A statistical review of published data on personality and psychopathology*. *Journal of Personality and Social Psychology*, 83, 962-982.
- Perry, J. C., Presniak, M. D., & Olson, T. R. (2013) *Defense Mechanisms in Schizotypal, Borderline, Antisocial, and Narcissistic Personality Disorders*. *Spring. Psychiatry*. 76 (1). 45-48.
- Presniak, M. D., Olson, T. R., & Macgregor M. W. (2010). *The Role of Defense Mechanisms in Borderline and Antisocial Personalities*. *Journal of Personality Assessment*, 92 (2), 137-145.
- Samuel, D. B., & Widiger, T. A. (2004). *Clinicians' descriptions of prototypic personality disorders*. *Journal of Personality Disorders*, 18, 286-308.
- Samuel, D. B., & Widiger, T. A. (2008). *A Meta-Analytic Review of the Relationships Between the Five-Factor Model and DSM-IV-TR Personality Disorders: A Facet Level Analysis* University of Kentucky. *Clinical Psychology Review*. December (8), 1326-1342. doi:10.1016/j.cpr.2008.07.002.
- Samuel, D. B., Lynam, D. R., Widiger, T., & Ball, S. A. (2012). *An expert consensus approach to relating the proposed DSM-5 types and traits*. *Department of Psychological Sciences Faculty Publications*. Paper 13. <http://dx.doi.org/10.1037/a0023787>
- Vahia, V. N. (2013). *Diagnostic and statistical manual of mental disorders 5: A quick glance*. *Indian journal of psychiatry*, 55(3), 220.
- Vaillant, G. E. (1992). *Ego mechanisms of defense: A guide for clinicians and researchers*. Washington, DC., American Psychiatric Press.
- Widiger, T. A., & Costa, P. T. (1994). *Personality and personality disorders*. *Journal of Abnormal Psychology*, 103, 78-91.
- Widiger, T. A., & Trull, T. J. (2007). *Plate tectonics in the classification of personality disorder: shifting to a dimensional model*. *American Psychologist*, 62, 71-83.