

"Copper" Coins as an Anti-Inflammatory agent

Yuri Pivovarenko

Research and Training Center 'Physical and Chemical Materials Science' Under Kyiv Taras Shevchenko University and NAS of Ukraine, Kiev, Ukraine.

***Corresponding Author:** Yuri Pivovarenko. Research and Training Center 'Physical and Chemical Materials Science' Under Kyiv Taras Shevchenko University and NAS of Ukraine, Kiev, Ukraine.

Received date: April 15, 2024; **Accepted date:** April 30, 2024; **Published date:** May 29, 2024

Citation: Alcaráz Melina, Silvero Aldana, Díaz-Cabrera Armando, Gallardo Adrián, (2024), "Copper" Coins as an Anti-Inflammatory agent, *J Thoracic Disease and Cardiothoracic Surgery*, 5(5); DOI:10.31579/2693-2156/104

Copyright: © 2024, Yuri Pivovarenko. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

Since the sensitivity of pathogenic bacteria to antibiotics creates intractable problems, doctors are forced to look for other anti-inflammatory means. Considering this, the anti-inflammatory properties of copper metal and its alloys deserve attention. At the same time, the lack of acceptable ideas about the nature of the phenomena that determine the anti-inflammatory properties of metallic copper and its alloys complicates their medical use. Given this state of affairs, it is proposed here to link the anti-inflammatory effect of metallic copper and its alloys with their ability to negatively electrify both human tissue and the bacteria and viruses present in them. This article presents the facts and ideas on which this proposal is based.

Keywords: metal therapy; copper; inflammation; cancer; thrombosis

Introduction

It was previously established that a number of microorganisms pathogenic to humans quickly die upon contact with the surfaces of metallic copper and copper alloys at room temperature. In particular, it has been shown that contact with such surfaces is fatal both for pathogenic bacteria such as *Salmonella enterica*, *Campylobacter jejuni*, *Escherichia coli*, *Staphylococcus aureus*, *Clostridium tetani*, *Listeria* (along with their forms insensitive to antibiotics), and for polio viruses, influenza A, bacteriophage T7, etc. [1-14]. These properties of metallic copper and its alloys were usually associated with the direct effect of copper ions on biological molecules, as well as with the indirect effect of ROS that occurs upon contact with metallic copper and its alloys [2, 15-21].

Although these explanations have become generally accepted, their universality is questionable, since the application of corrosion-resistant copper alloys, which are not capable of releasing copper ions, to human skin also produces an anti-inflammatory effect [22]. In addition, these explanations do not take into account the fact that it is ROS that contribute to various human diseases, including inflammatory diseases [23-25], as well as the fact that the contact of copper metal and copper alloys with human skin is beneficial for humans [22]. Taking all this into account, it was suggested that the healing properties of metallic copper and its alloys are due to their electron-donating ability in relation to aqueous media.

It is worth noting here that this assumption was based on Kyon's rule: when two phases come into contact, the phase with a higher dielectric permeability acquires a positive charge, and the phase with a lower

dielectric permeability acquires a negative charge [26]. So, since the dielectric permeability of water is ~ 81 at room temperature and ~ 75 at 37 °C [26-28], while the dielectric permeability of metals is usually taken equal to ∞ [28], all corrosion-resistant metals, i.e. not releasing the corresponding ions into aqueous environments must acquire a positive charge, and their aqueous environment must acquire a negative charge. At the same time, this assumption took into account the fact that copper is located immediately after hydrogen in the electrochemical voltage series and, therefore, gives up electrons more easily than other corrosion-resistant metals [26].

Thus, an explanation for the antifungal, antibacterial and antiviral properties of metallic copper and its alloys was proposed that differs from the generally accepted one. Given the unusual nature of this explanation, it needed obvious evidences. Taking this into account, experiments were carried out, the results of which can be considered as necessary evidence. I hope that the presented results and their interpretation will be useful to doctors of various specialties.

Materials and methods

Firstly, the previously established dependence of the shape of salt crystals on the electrical potential of the water used to dissolve it was used here (Figures 1-3).



Figure 1. It is the crystals that formed after the drying of solutions of KH_2PO_4 prepared on the water with potentials of +250 mV (left) and -250 mV (right) [29].




Figure 2. Left: intensely blue (i.e. more hydrated [26, 27]) prismatic crystals formed in a CuSO_4 solution prepared with positively charged water. Right: pale blue or colourless (i.e. less hydrated or completely dehydrated [26, 27]) vegetable crystals formed in a CuSO_4 solution prepared with negatively charged water).




Figure 3. Real "bouquets of flowers" are formed in drying NaCl solutions prepared in negatively charged water [30].

Apparently, all these results (Fig. 1-3) may be of interest to doctors who use phenomena known as "arborization" or "ferning" for diagnostic purposes [31-36].

In addition, the previously established dependence of the UV absorption spectra of DNA on the electrical potential of the water used to prepare DNA solutions [29, 30, 37, 38] was used here.

Sodium salt of DNA was purchased from Fluka (Switzerland); the remaining reagents were purchased from the "Ukrekhim" (Ukraine). Since contact with "copper" coins, which are not actually made of pure

metallic copper, but of corrosion-resistant copper alloys, cannot a priori be harmful to humans, they were used in this study.

UV absorption spectra of aqueous DNA solutions were recorded using Specord UV VIS (Carl Zeiss Jena, Germany).

Results

Negative electrization of aqueous media in contact with coins.

The results of numerous experiments have made it possible to verify that coins cause arborization in aquatic environments (Figures 4 – 8).



Figure 4. This is a "copper" coin surrounded by a dried K₂CO₃ solution prepared in uncharged water; in this case, distinct needle-shaped crystals form around the coin [39].



Figure 5. This is a "copper" coin surrounded by a dried MgSO₄ solution prepared in uncharged water; in this case, needle-shaped crystals also form around the coin.



Figure 6. This is a "copper" coin surrounded by a dried CuCl₂ solution prepared in uncharged water; in this case, distinct plant-type crystals are formed [39].




Figure 7. This is a "copper" coin surrounded by a dried collagen solution containing KCl, prepared in uncharged water; in this case, plant-like crystals also form around the coin.




Figure 8. This is a "copper" coin surrounded by a dried collagen solution containing CuSO_4 , prepared in uncharged water; in this case, both needle-like and plant-like crystals form around the coin.

It appears that the results presented in Figures 7 and 8 are worth comparing with the result presented in Figure 9.



Figure 9. These are branches on the inner surface of the test tube formed during the drying process of a collagen solution prepared in negatively charged water.

So, the obtained results (Figures 4 – 8) make it possible to verify the arborization of aqueous media in contact with coins. Considering the results presented above (Figures 1 – 3), this means that the coins cause

negative electrization in their aquatic environment.

UV absorption of aqueous DNA solutions in contact with coins

The UV absorption of aqueous solutions of DNA in contact with "copper"

coins was also studied. Thus, it was found that there was not only a noticeable decrease in the UV absorption of aqueous solutions of DNA in contact with “copper” coins, but also a complete disappearance of peaks

at a wavelength of 260 nm in the UV absorption spectra of such solutions (Figure 10).




Figure 10. UV absorption spectra of aqueous solutions with the same DNA concentration (~20 °C): 1 – solution not in contact with the “copper” coin (control); 2 – solution that was in contact with a “copper” coin for 48 hours.

Both spectra were recorded against air and were not processed after recording.


Both of these spectra (Figure 10) should be compared with previous results, which showed that bubbling aqueous DNA solutions with oxygen gas is accompanied by an increase in their A_{260} , while bubbling aqueous DNA solutions with nitrogen gas is accompanied by a decrease in their A_{260} [40, 41]. Apparently, it is precisely this comparison that indicates that the decrease in A_{260} of aqueous DNA solutions upon contact with “copper” coins (Figure 10) cannot be associated with the appearance of ROS in these solutions. At the same time, a comparison of both of these spectra (Figure 10) with the UV absorption spectra of aqueous DNA solutions prepared in oppositely charged waters [29, 37], as well as with the UV absorption spectra of aqueous suspensions of lymphocytes in healthy people and patients with B-cellular chronic lymphocytic leukemia [38] indicates negative electrization of aqueous solutions of DNA upon contact with “copper” coins.

Discussion

Thus, there are enough results (Figures 4 – 8, 10) indicating the ability of “copper” coins to negatively electrify the aquatic environment. This, accordingly, allows assuming that it is this ability of metallic copper and its alloys that provides their anti-inflammatory properties. Since this assumption does not seem obvious, it deserves separate discussion.

So, it is believed that it is the proton motive force (PMF) that ensures the active transport of glucose into bacteria, the synthesis of ATP in bacteria, and, finally, the motility of bacteria [42]. It is also believed that the existence of PMF is ensured by the extracellular concentration of protons, which determines the steepness of proton gradients around bacterial membranes [43 – 45]. Therefore, it is quite expected that a decrease in this steepness will weaken the PMF with all the expected consequences.

Taking all this into account, it seems quite reasonable to assume that the anti-inflammatory effect of “copper” coins is determined by their ability to enrich the bacterial environment with electrons that can neutralize the protons present there:



(It is worth noting here that assumption fits well with the idea that bacterial antimicrobial resistance is controlled by bacterial PMF [42].)

It is also worth considering that the human body has a buffer system based on the chemical properties of bicarbonates [46 – 48], which allows the irreversible removal of protons from the human body:



Thus, “copper” coins can be perceived as a means of helping a person’s bicarbonate buffer system rid his body of excess protons and thereby complicate the life of bacteria.

At the same time, all of the above allows expecting that “copper” coins are capable of reproducing the therapeutic effects of dimethyl sulfoxide (DMSO) [49 – 51], based mainly on its ability to attach aqueous protons [26], in particular those that are pathogenic to humans [52, 53].

On the other hand, equation (1) allows perceiving “copper” coins in contact with the human body as a source of hydrogen gas, the anti-inflammatory properties of which are well known [54 – 57]. Moreover, the same equation (1) allows considering “copper” coins as substitutes for hydrogen therapy, in particular anti-cancer therapy [58 – 66].

Conclusion

Recognizing the fact that the proton gradient around bacterial membranes determines the intensity of bacterial metabolism, including energy metabolism [42 – 45], it can be foreseen that the destruction of such a gradient will reduce bacterial pathogenicity. Therefore, the destruction of

such a gradient with the help of negative electrization of the bacterial environment seems quite desirable both for patients and for their doctors. Thus, "copper" coins, which combine pronounced electron-donating properties in relation to aqueous environments (Figures 4 – 8, 10) and corrosion resistance, seem to be a completely acceptable antibacterial agent.

Taking into account all these considerations, one can expect from "copper" coins the same antiviral properties that are inherent in metallic copper [9], assuming, of course, that any antiviral activity is based on negative electrization [67].

Thus, it is likely that any anti-inflammatory effect of "copper" coins is associated with their ability to electrify the human body as negatively as any aquatic environment. This, in turn, suggests that copper coins used as anti-inflammatory agents need to restore their electron-donating abilities; experience shows that this restoration occurs quite successfully in water-ethanol solutions of citric acid stored in the dark. Apparently, it is also worth noting that the anti-inflammatory effect of "copper" coins can be enhanced by geomagnetic forces that direct electrons downward [58, 68]; thus, the location of the "copper" coins on the patient's body also matters. (Naturally, all this must be taken into account when expecting the restorative effect of "copper" coins on neurons [39], in particular, those damaged during surgery.)

References

1. Avakyan Z.A. and Rabotnova V. (1966). Determination of the Copper Concentration Toxic to Micro-Organisms. *Microbiology*. 35;682-687. In Russian.
2. Domek M.J., Robbins. J.E., Anderson M.E., McFeters G.A. (1987). Metabolism of *Escherichia coli* injured by copper. *Canadian Journal of Microbiology*. 33(1); 57-62.
3. Ug A., Ceylan O. (2003). Occurrence of resistance to antibiotics, metals, and plasmids in clinical strains of *Staphylococcus* spp. *Archives of Medical Research*, 34(2); 130-136.
4. Faundez G., M. Troncoso, P. N. Figueroa G. (2004). Antimicrobial activity of copper surfaces against suspensions of *Salmonella enterica* and *Campylobacter jejuni*. *BMC Microbiology*. 4.
5. Wilks S.A., Michels H., Keevil C.W. (2005). The survival of *Escherichia coli* O157 on a range of metal surfaces. *International Journal of Food Microbiology*. 105(3); 445-454.
6. Michels H.T., Wilks S.A., Noyce J.O., Keevil C.W. (2005). Copper alloys for human infectious disease control. Materials Science and Technology Conference. Pittsburgh, 25-28.
7. Wilks S.A., Michels H.T., Keevil C.W. (2006). Survival of *Listeria monocytogenes* Scott A on metal surfaces: implications for cross-contamination. *International Journal of Food Microbiology*. 111(2);93-98.
8. Noyce J.O., Michels H., Keevil C. W. (2006). Potential use of copper surfaces to reduce survival of epidemic methicillin-resistant *Staphylococcus aureus* in the healthcare environment. *Journal of Hospital Infection*. 63(3); 289-297.
9. Noyce. J.O., Michels H., Keevil C.W. (2007). Inactivation of Influenza A Virus on copper versus stainless steel surfaces. *Applied and Environmental Microbiology*. 73(8);2748-2750.
10. Weaver L., Michels H.T., Keevil C.W. (2008). Survival of *Clostridium difficile* on copper and steel: futuristic options for hospital hygiene. *The Journal of Hospital Infection*. 68(2);145-151.
11. Michels H.T., Noyce J.O., Keevil C.W. (2009). Effects of temperature and humidity on the efficacy of methicillin-resistant *Staphylococcus aureus* challenged antimicrobial materials containing silver and copper. *Letters in Applied Microbiology*. 49(2);191-195.
12. Weaver L., Michels H.T., Keevil C.W. (2010). Potential for preventing spread of fungi in air-conditioning systems constructed using copper instead of aluminum. *Letters in Applied Microbiology*. 50(1);18-23.
13. Michels H., Moran W., Michel J. (2015). Antimicrobial properties of copper alloy surfaces, with a focus on hospital-acquired infections. *International Journal of Metalcasting*, 2;47-56.
14. Intisar S., Parkin I.P. and Allan E. (2021). Copper as an antimicrobial agent: recent advances. *RSC Advances*. 11(30);18179-18186.
15. Samuni A., Aronovitch J., Godinger D. et al. (1983). On the cytotoxicity of vitamin C and metal ions. A site-specific Fenton mechanism. *European Journal of Biochemistry*. 137(1-2); 119-24.
16. Samuni A., Chevion M., Czapski G. (1984). Roles of copper and O (2) in the radiation-induced inactivation of T7 Bacteriophage. *Radiation Research*. 99(3);562-572.
17. Thurman R.B., Gerba C.P. (1989). The molecular mechanisms of copper and silver ion disinfection of bacteria and viruses. *Critical Reviews in Environmental Control*. 18(4);295-315.
18. Manzl C., Enrich J., Ebner. H., Dallinger R., Krumschnabel G. (2004). Copper-induced formation of reactive oxygen species causes cell death and disruption of calcium homeostasis in trout hepatocytes. *Toxicology*. 196(1-2);57-64.
19. Barker J., Vipond I.B. AND Bloomfield S.F. (2004). Effects of cleaning and disinfection in reducing the spread of Norovirus contamination via environmental surfaces. *The Journal of Hospital Infection*. 58(1);42-49.
20. Chudobova D., Dostalova S., Ruttkay-Nedecky B. et al. (2015). The effect of metal ions on *Staphylococcus aureus* revealed by biochemical and mass spectrometric analyses. *Microbiological Research*. 170;147-156.
21. Ngwewa F., Kasali G., Mkupasi E.M. and Katakweba A.A.S. (2022). Effects of heavy metals on bacterial growth, biochemical properties and antimicrobial susceptibility. *Journal of Applied & Environmental Microbiology*. 10(1); 9-16.
22. Safonova N.M. (1993). Report at the institute of health resort on February 19, 1982; Summary of the report in the book "Healer of the Spirit and Body." Kharkov: *Basis*. In Russian.
23. Mittal M., Siddiqui M.R., Tran K. et al. (2014). Reactive oxygen species in inflammation and tissue injury. *Antioxidants & Redox Signaling*. 20(7);1126-1167.
24. Chelombitko M.A. (2018). Role of reactive oxygen species in inflammation: a minireview. *Moscow University Biological Sciences Bulletin*. 73;199-202.
25. Liu J., Han X., Zhang T. et al. (2023). Reactive oxygen species (ROS) scavenging biomaterials for anti-inflammatory diseases: from mechanism to therapy. *Journal of Hematology & Oncology*. 16(1).
26. Nekrasov B.V. (1974). General chemistry, 1. Moscow: Chemistry. In Russian.
27. Nekrasov B.V. (2003). Bases of general chemistry. St. Petersburg: Lan. In Russian.
28. Kuchling, H. (1980). Physik. Leipzig: VEB Fachbuchverlag. In German.
29. Pivovarenko Y. (2018). ±Water: Demonstration of Water Properties, Depending on its Electrical Potential, *World Journal of Applied Physics*, 3(1);13-18.
30. Pivovarenko Y. (2020). Influence of glass and air on our perception of DNA. *European Journal of Biophysics*. 8(1);10-15.
31. Zondek B., Rozin S. (1954). Cervical mucus arborization; its use in the determination of corpus luteum function. *Obstetrics and Gynecology*. 3(5);463-470.
32. Heron H.J. (1963). The fern phenomenon or arborization test. The Australian & New Zealand *Journal of Obstetrics & Gynecology*. 3;35-39.

33. Vasilchenko G.S. (1990). Sexual pathology. Moscow: Medicine. *In Russian*.
34. Shatokhina S.N., Shabalin V.N., Buzoverya M.E. and Punin V.T. (2004). Bio-liquid morphological analysis. *The Scientific World Journal*. 4;657-661.
35. Pivovarenko Y. (2016). Nature of the polymorphism of salt crystals in the aspect of arborization diagnostic method. *Morphologia*, 10(1);72-76.
36. Pivovarenko Y. (2018). The electric potential of the female body liquids and the effectiveness of cloning. Research and Reviews on Healthcare: *Open Access Journal*. 1(2); 22-26.
37. Pivovarenko Y. (2015). UV absorbance of aqueous DNA. *European Journal of Biophysics*. 3(3);19-22.
38. Terentyeva Y. and Pivovarenko Y. (2015). UV absorbance of lymphocytes. *European Journal of Advanced Research in Biological and Life Sciences*. 3(4);20-24.
39. Pivovarenko Y. (2024). Electrical forces that build and recover neurons. *Journal of New Medical Innovations and Research*. 5 (2).
40. Doshi R., Day P.J.R. and Tirelli N. (2009). Dissolved oxygen alteration of the spectrophotometric analysis and quantification of nucleic acid solutions. *Biochemical Society Transactions*. 37(2);466-470.
41. Doshi R., Day P.J.R., Carampin P. et al. (2010). Spectrophotometric analysis of nucleic acids: oxygenation-dependant hyperchromism of DNA. *Analytical and Bioanalytical Chemistry*. 396(6);2331-2339.
42. Yang B., Tong Z, Shi J. et al. (2023). Bacterial proton motive force as an unprecedented target to control antimicrobial resistance. *Medicinal Research Reviews*. 43(4);1068-1090.
43. Maloney P.C., Kashket E.R., Wilson T.H. (1974). A protonmotive force drives ATP synthesis in bacteria. *PNAS*. 71(10); 3896-3900.
44. Farha M.A., Verschoor C.P., Bowdish D. and Brown W.D. (2013). Collapsing the proton motive force to identify synergistic combinations against *Staphylococcus aureus*. *Chemistry & Biology*. 20(9);1168-1178.
45. Guo H., Suzuki T. and Rubinstein J.L. (2019). Structure of a bacterial ATP synthase. *eLife*. 8.
46. Rhoades R.A. and Bell D.R. (2012). *Medical Physiology: Principles for Clinical Medicine*, 4th Edition. *Lippincott Williams & Wilkins*.
47. Biga L. M., Bronson S., Dawson S. et al. (2019). Acid-base balance. Chapter 26.4 in *Anatomy and Physiology. USA: Copublished by OpenStax and Oregon State University*.
48. Pivovarenko Y. (2024). CO₂ as an evolutionarily proven means of protection against adverse external factors. *Basic and Clinical Pharmacy Research*. 2(1).
49. Wang C.-C., Lin S.-Y., Lai Y.-H. et al. (2012). Dimethyl sulfoxide promotes the multiple functions of the tumor suppressor HLJ1 through activator protein-1 activation in NSCLC cells. *PLoS ONE*. 7(4): e33772.
50. Lin G.-J., Sytwu H.-K., Yu J.-C. et al. (2015). Dimethyl sulfoxide inhibits spontaneous diabetes and autoimmune recurrence in non-obese diabetic mice by inducing differentiation of regulatory T cells. *Toxicology and Applied Pharmacology*. 282(2);207-214.
51. Villarreal A., Duff A. and Hu T. (2020). DMSO inhibits human cancer cells and downregulates the expression of cdk2 and cyclin A. *The FASEB journal*. 34(S1).
52. Pivovarenko Y. (2023). Catalytic properties of positively charged water promoting tumor growth. *Journal of Cancer Research and Cellular Therapeutics*. 7(5).
53. Pivovarenko Y. (2024). Cancer and thrombosis can be associated because both have a common cause, which is the positive electrization of a person's internal environment. *Journal of Cancer Research and Cellular Therapeutics*. 8(3).
54. Gharib B., Hanna S., Abdallahi O.M.S. et al. (2001). Anti-inflammatory properties of molecular hydrogen: investigation on parasite-induced liver inflammation. Première mise en évidence des propriétés anti-inflammatoires potentielles de l'hydrogène moléculaire. *Comptes Rendus de l'Académie des Sciences – Series III – Sciences de la Vie*. 324(8);719-724.
55. Ishibashi T. (2013). Molecular hydrogen: new antioxidant and anti-inflammatory therapy for rheumatoid arthritis and related diseases. *Current Pharmaceutical Design*. 19(35); 6375-6381.
56. Tian Y., Zhang Y., Wang Y. et al. (2021). Hydrogen, a novel therapeutic molecule, regulates oxidative stress, inflammation, and apoptosis. *Frontiers in Physiology*;12.
57. Ohta S. (2011). Recent progress toward hydrogen medicine: potential of molecular hydrogen for preventive and therapeutic applications. *Current Pharmaceutical Design*. 17(22);2241-2252.
58. Pivovarenko Y. (2019). Biochemical and physiological basis for treating hydrogen gas as a medicine. *European Journal of Preventive Medicine*. 7(6); 100-107.
59. Li H., Luo Y., Yang P. and Liu J. (2019). Hydrogen as a complementary therapy against ischemic stroke: A review of the evidence. *Journal of the Neurological Sciences*. 396;240-246.
60. Yi Ming, Qi-Hang Ma, Xin-Li Han and Hong-Yan Li (2020). Molecular hydrogen improves type 2 diabetes through inhibiting oxidative stress. *Experimental and Therapeutic Medicine*. April;359-366.
61. Hirano S., Yamamoto H., Ichikawa Y. et al. (2021). Molecular hydrogen as a novel antitumor agent: possible mechanisms underlying gene expression. *International Journal of Molecular Sciences*. 22(16);8724.
62. Fu Z. and Zhang J. (2022). Molecular hydrogen is a promising therapeutic agent for pulmonary disease. *Journal of Zhejiang University-Science B*. 23(2);102-122.
63. Pluta R., Januszewski S. and Czuczwar S.J. (2022). Molecular hydrogen neuroprotection in post-ischemic neurodegeneration in the form of Alzheimer's disease proteinopathy: underlying mechanisms and potential for clinical implementation – fantasy or reality? *International Journal of Molecular Sciences*. 23(12).
64. Noor M.N.Z.M., Aladdin S.A., Wong Y.H. et al. (2023). A systematic review of molecular hydrogen therapy in cancer management. *Asian Pacific Journal of Cancer Prevention*. 24(1); 37-47.
65. Ji H., Zhao Z., Liu Z. et al. (2023). Real-world effectiveness and safety of hydrogen inhalation in Chinese patients with type 2 diabetes: A single-arm, retrospective study. *Diabetes, Metabolic Syndrome and Obesity*. 16; 2039-2050.
66. Zhao Z., Ji H., Zhao Y. et al. (2023). Effectiveness and safety of hydrogen inhalation as an adjunct treatment in Chinese type 2 diabetes patients: A retrospective, observational, double-arm, real-life clinical study. *Frontiers in Endocrinology*. 13.
67. Pivovarenko Y. (2022). Negative electrization of air as a means of counteracting airborne viral infections. *European Journal of Preventive Medicine*. 10(1);34-39.
68. Pivovarenko Y. (2020). The use of electromagnetic forces of the Earth in manual and physiotherapy. *Journal of Human Physiology*. 2(1);10-15.



This work is licensed under Creative Commons Attribution 4.0 License

To Submit Your Article Click Here: [Submit Manuscript](#)

DOI:[10.31579/2693-2156/103](https://doi.org/10.31579/2693-2156/103)

Ready to submit your research? Choose Auctores and benefit from:

- ❖ fast, convenient online submission
- ❖ rigorous peer review by experienced research in your field
- ❖ rapid publication on acceptance
- ❖ authors retain copyrights
- ❖ unique DOI for all articles
- ❖ immediate, unrestricted online access

At Auctores, research is always in progress.

Learn more <http://www.auctoresonline.org/journals/journal-of-thoracic-disease-and-cardiothoracic-surgery>