

Colorectal Cancer: Regulated by Gut's Clock

PD Gupta

Retired, Director Grade Scientist, Centre for Cellular and Molecular Biology, Hyderabad, 500007, India.

***Corresponding Author:** PD Gupta, Retired, Director Grade Scientist, Centre for Cellular and Molecular Biology, Hyderabad, 500007, India.**Received Date:** February 26, 2025; **Accepted Date:** March 05, 2025; **Published Date:** March 12, 2025**Citation:** PD Gupta, (2025), Colorectal Cancer: Regulated by Gut's Clock, *Clinical Medical Reviews and Reports*, 7(2); DOI:10.31579/2690-8794/256**Copyright:** © 2025, PD Gupta. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

Biological clock is composed of proteins encoded by thousands of genes that switch on and off in a specific order. A master clock coordinates all the cellular biological clocks in an organism. It regulates an organism's sense of time and controls many bodily functions. When particular group of cellular clocks go disarray, normal body functions go stray and can even produce cancer. In in vitro experiments scientists showed that intestinal barrier/ permeability functions are clock-dependent. A circadian rhythm disorder can be long-term and caused by aging, genes, or a medical condition. circadian rhythm disorder for hunger can influence the progression of many diseases such as colorectal cancer

Keywords: Cellular clocks, circadian rhythm, colorectal cancer

Introduction

The circadian rhythm cycles about every 24 hours plays an important role in a wide range of human physiology and pathology [1]. Circadian rhythm disorders are problems that occur when body's internal clock is out of sync with the environment. Our body tries to align our hunger and sleep-wake cycle to cues from the environment, such as when it gets light or dark outside [2], when to eat, and when we are physically active [3]. A circadian rhythm disorder can be long-term and caused by aging, genes, or a medical condition.

People with fasting/feeding cycles, the circadian clock also influences homeostasis across a broad range of behavioural and physiological processes, including glucose and lipid metabolism, body temperature, endocrine hormone secretion [4]. Previous research has shown that circadian rhythm disorder for hunger can influence the progression of many diseases such as colorectal cancer (CRC). In a new study in mice, researchers from the University of California, Irvine (UCI), demonstrated how disruption of the circadian clock may accelerate the progression of colorectal cancer by affecting the gut microbiome and intestinal barrier function. The new study may lead to new prevention and treatment strategies [5]. There is an alarming rise in early-onset colorectal cancer in adults under the age of 50 [6]. Circadian misalignment through extended light exposure, late-night meals, and other environmental factors could [be] driving these cases. Many studies suggest that clock disruption, particularly through lifestyle choices, may play a significant role in gut health and, subsequently, cancer risk [7].

The study used a mouse model with genetic mutations. These mutations were designed to disrupt the normal circadian rhythm in the gut and to predispose the mice to developing CRC. The researchers then analyzed the gut

microbiome and gene expression in these mice compared to healthy controls [8].

Diet is a robust entrainment cue that regulates diurnal rhythms of the gut microbiome. We and others have shown that disruption of the circadian clock drives the progression of colorectal cancer (CRC). While certain bacterial species have been suggested to play driver roles in CRC, it is unknown whether the intestinal clock impinges on the microbiome to accelerate CRC pathogenesis [9].

To address this, genetic disruption of the circadian clock, in an Apc-driven mouse model of CRC, was used to define the impact on the gut microbiota. When clock disruption is combined with CRC, metagenomic sequencing identified dysregulation of many bacterial genera including *Bacteroides*, *Helicobacter*, and *Megasphaera* [10-12]. By identifying these bacterial species, the study highlights potential targets for future therapeutic interventions. The researchers also identified alterations in the microbial pathways involved in the metabolism of nucleic acids, amino acids, and carbohydrates. These functional changes were linked to reduced levels of intestinal mucus, which normally protects the gut lining from harmful bacteria, suggesting that the circadian clock is crucial for maintaining barrier integrity [13]. While these findings are important, more work needs to be done. In particular, if changes in the timing and abundance of certain gut bacteria could directly lead to colorectal cancer development over time. Long-term studies will be critical in determining whether circadian misalignment drives cancer and how we might prevent it in the future. Deeper insights into how the body's internal clock shapes the gut's ecosystem could pave the way for treatments that not only address cancer but also improve overall health.




Figure 1: Circadian rhythms and the gut microbiota synchronize the host's metabolic response to diet

Clock-dependent control of intestinal barrier function

It has been reported that intestinal permeability oscillates over the day-night cycle [14]. However, the contribution of clock disruption on intestinal permeability during tumour progression remains unknown. To test this, an *in vitro* intestinal epithelial model using human Caco-2 cells was used to establish differentiated monolayers for permeability assays [15]. Scientists chose 12-hour intervals (Fig. 1) so that they could capture the entire 24-hour circadian cycle with two time points and thus be able to compare gene expression to permeability.

References

- Gupta P D (2012). Pushkala K., Clock within Us LAP Lambert Academic Publishing, Germany.
- Tran L., et al (2021). Circadian misalignment by environmental light/dark shifting causes circadian disruption in colon. *PLOS ONE* 16, e0251604.
- A Verlande, and S (2019). Masri, Circadian clocks and cancer: Timekeeping governs cellular metabolism. *Trends Endocrinol. Metab.* 30, 445–458.
- K. P. Kelly, et al (2021). Time-optimized feeding is beneficial without enforced fasting. *Open Biol.* 11, 210183.
- Fellows R C et al (2024). Disruption of the intestinal clock drives dysbiosis and impaired barrier function in colorectal cancer. *Science Advances*,10 (39).
- Mauri G, et al (2019). Early-onset colorectal cancer in young individuals. *Mol Oncol* 13(2):109-131.
- R. M. Voigt, et al (2014). Circadian disorganization alters intestinal microbiota. *PLOS ONE* 9, e97500.
- Miyo, M., et al (2016). Metabolic Adaptation to Nutritional Stress in Human Colorectal Cancer. *Sci Rep* 6, 38415.
- Gupta, P.D (2012). and Pushkala K. Prevention and Treatment of Breast Cancer by Light and Food. In: Natural Products and their Active Compounds on Disease Prevention. Editors: Essa, M.M., Manickavasagan, A., and E. Sukumar, E. Nova Science Publishers. C.G.C. Press USA).
- Voigt R. M., et al (2016). Circadian rhythm and the gut microbiome. *Int. Rev. Neurobiol.* 131, 193–205.
- Sobhani, J. et al (2011). Microbial dysbiosis in colorectal cancer (CRC) patients. *PLOS ONE* 6, e16393.
- Z. Dai, et al (2019). The role of microbiota in the development of colorectal cancer. *Int. J. Cancer* 145, 2032–2041.
- Pushkala, K. and Gupta, P. D (2024). Promising role of Faecal Microbiota Transplantation in Cancer Management. *Clinical Research and Clinical Trials*, 11(1).
- T. Tuganbaev, et al (2020). Diet diurnally regulates small intestinal microbiome-epithelial-immune homeostasis and enteritis. *Cell* 182, 1441–1459.e21.
- R. B. van Breemen, Y. Li (2005). Caco-2 cell permeability assays to measure drug absorption. *Expert Opin. Drug Metab. Toxicol.* 1, 175–185.



This work is licensed under Creative Commons Attribution 4.0 License

To Submit Your Article Click Here:

Submit Manuscript

DOI:10.31579/2690-8794/256

Ready to submit your research? Choose Auctores and benefit from:

- fast, convenient online submission
- rigorous peer review by experienced research in your field
- rapid publication on acceptance
- authors retain copyrights
- unique DOI for all articles
- immediate, unrestricted online access

At Auctores, research is always in progress.

Learn more <https://auctoresonline.org/journals/clinical-medical-reviews-and-reports>